

Liqua-Tox II

A Concentrate for Preparing Liquid Baits to Kill Norway Rats, Roof Rats, and House Mice

Mix contents of pouch with 1 quart of water.

ACTIVE INGREDIENT:

Sodium Salt of Diphacinone

(CAS #42721-99-3) 0.106%

INERT INGREDIENTS:..... 99.894%
100.000%

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

FIRST AID

HAVE LABEL WITH YOU WHEN OBTAINING TREATMENT ADVICE

IF SWALLOWED:

- Call a poison control center, doctor, or 1-877-854-2494 immediately for treatment advice.
- Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to do so by the poison control center or doctor.

IF ON SKIN:

- Wash with plenty of soap and water.

NOTE TO PHYSICIAN OR VETERINARIAN

If swallowed, this material may reduce the clotting ability of the blood and cause bleeding. If ingested, administer Vitamin K₁ intramuscularly or orally as indicated in bishydroxycoumarin overdoses. Repeat as necessary based on monitoring of prothrombin times.

See Back/Side Panel for additional precautionary statements.

Manufactured by:



Bell Laboratories, Inc.
Madison, WI 53704

EPA REG. NO.12455-61

EPA EST. NO. 12455-WI-1

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL: Read this entire label and follow all use directions and use precautions.

IMPORTANT: Do not expose children, pets, or nontarget animals to rodenticides. To help to prevent accidents:

1. Store unused product out of reach of children and pets.
2. Apply bait in locations out of reach of children, pets, domestic animals and nontarget wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by dogs and by children under six years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from bait stations when they are lifted, units must be secured or otherwise immobilized. Stronger bait stations are needed in areas open to hooved livestock, raccoons, bears, or other potentially destructive animals, or in areas prone to vandalism.
3. Dispose of product container and unused, spoiled, or unconsumed bait as specified on this label.

USE RESTRICTIONS: Only for control of Norway rats, roof rats and house mice in and around homes, industrial and agricultural buildings, and similar man-made structures. Do not place bait in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food. When used in USDA-inspected facilities, this product must be applied in tamper-resistant bait stations. Do not broadcast bait.

SELECTION OF TREATMENT AREAS: Determine areas where rats or mice will most likely find and consume the bait. Generally, these areas are along walls, by gnawed openings, in or beside burrows, in corners and concealed places, between floors and walls, or in locations where rodents or their signs have been seen. Protect bait from rain and snow. Remove as much alternative food as possible.

MIXING DIRECTIONS: Wearing waterproof gloves, thoroughly mix contents of one 1.68 fl. oz. package in 1 quart (32 fluid ounces) of water.

APPLICATION DIRECTIONS:

RATS: Provide a minimum of 1 pint (16 fluid ounces) of LIQUA-TOX II in each dispenser (suitably-equipped bait station, chick fountain, or other suitable device). If infested area is large, or if rat population appears to be high, use dispensers at several locations. Space dispensers and refill them as needed to ensure that bait is exposed in all infested areas where it can be used without putting nontarget organisms at risk.

MICE: Provide 1/2-pint (8 fluid ounces) placements of LIQUA-TOX II in suitably-equipped bait stations, chick fountains, or other appropriate vessels. Place dispensers at intervals of 8 - 12 feet in all infested areas where bait can be used without putting nontarget organisms at risk.

FOLLOW-UP: Replace contaminated or spoiled product immediately. Using gloves, collect and properly dispose of dead animals and bait that is no longer needed. Continue treatments as long as target species are being controlled and nontarget species are not at risk.

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Keep away from humans, domestic animals and pets. If handled, wear water-proof gloves. Wash thoroughly with soap and water after handling. Exposures during pregnancy should be avoided. Avoid contact with skin, eyes, or clothing.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wildlife. Predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten bait. Do not apply this product directly to water or to areas where surface water is present or to intertidal areas below the mean high water mark.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store only in original container in a cool, dry place inaccessible to children and pets. Keep containers closed and away from other chemicals.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be placed in trash or delivered to an approved waste disposal facility.

PESTICIDE CONTAINER: Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available. Dispose of empty container by placing in trash, at an approved waste disposal facility or by incineration or, if allowed by state and local authorities, by burning. If burned stay out of smoke. Call your Local Waste Agency for any questions on proper disposal.

INNER CONTAINER

Liqua-Tox II

A Concentrate for Preparing Liquid Baits to
Kill Norway Rats, Roof Rats, and House Mice

Mix contents of pouch with 1 quart of water.

ACTIVE INGREDIENT:

Sodium Salt of Diphacinone

(CAS #42721-99-3) 0.106%

INERT INGREDIENTS:..... 99.894%

100.000%

KEEP OUT OF REACH OF CHILDREN

CAUTION

FIRST AID

HAVE LABEL WITH YOU WHEN OBTAINING TREATMENT ADVICE

IF SWALLOWED:

- Call a poison control center, doctor, or 1-877-854-2494 immediately for treatment advice.
- Have person sip a glass of water if able to swallow.

This Section For Product Label Identification Purposes Only:

Liqua-Tox II, EPA Reg. No. 12455-61, Container Label

Page 3 of 4

▪Do not induce vomiting unless told to do so by the poison control center or doctor.

IF ON SKIN:

▪Wash with plenty of soap and water.

NOTE TO PHYSICIAN OR VETERINARIAN

If swallowed, this material may reduce the clotting ability of the blood and cause bleeding. If ingested, administer Vitamin K₁ intramuscularly or orally as indicated in bishydroxycoumarin overdoses. Repeat as necessary based on monitoring of prothrombin times.

SEE LABEL ON OUTER PACKAGING FOR ADDITIONAL PRECAUTIONARY INFORMATION

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. See outer package label for complete DIRECTIONS FOR USE including USE RESTRICTIONS. It is illegal to sell this product unless it is accompanied by a complete set of accepted labeling.

Manufactured by:



Bell Laboratories, Inc.

3699 Kinsman Blvd.
Madison, WI 53704

EPA REG. NO.12455-61

EPA EST. NO. 12455-WI-1

051908

SPECIMEN LABEL